

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name HUGH E BIR CAFÉ INC	Telephone Number Est 502-296-4590 Own 502-296-4590	Date of Inspection 07/05/2022	ID#
Address 324 E MARKET ST, NEW ALBANY IN 47150			
Owner HUGH BIR CAFÉ INC	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 08/08/2022	Released 07/05/2022
Owner's Address 324 E MARKET ST NEW ALBANY, IN 47150-		Menu Type 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge HUGH E. BIR			
Responsible Person's Email			
Certified Food Handler N/A			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
423		X		Observed living quarters opening directly into food establishment. A door needs to be installed to separate spaces and cannot be used to move from one area to another. Exterior door must be used when entering living space.	1 month
324	X			Observed the grease trap leaking when 3-compartment sink was draining. Grease trap needs to be cleaned and repaired. If it cannot be repaired it must be replaced.	3 days
343	X			Observed no handsink in side bar. This area can only be used to open bottled or canned drinks. No mixed drinks or prep. Observed no handsink in kitchen. The first compartment of the 3 compartment sink should be designated as the handsink, for handwashing only. The second compartment should be used to wash and rinse dishes and the third to sanitize dishes.	1 day
345	X			It was discovered when talking to staff that fruit was being washed in the bar handsink. This is for handwashing only. Fruit should be washed in the first compartment of bar 3-comp sink.	today
404		X		Observed coving board had fallen off the wall behind bar in side bar area.	1 month
411		X		Observed 3 light fixtures in side bar area to not be working. (30 days) Measured lighting above 3 comp sink at 8 ftc. Measured lighting in kitchen at 10 ftc. 70 ftc is required in these areas. Repace led bulbs with brighter bulbs(1week). Install additional light above 3 comp sink.	1 month/ 1 week
413		X		Observed side exterior door to not be well fitted and containing gaps and to be padlocked. This may be an issue with emergency egress. The fire dept/ fire marshall needs to be contacted for requirements. Observed front door on west side to have a damaged door sweep.	30 days
430		X		Observed ceiling in entryway of west side front door to be water damaged and brittle. Observed peeling paint in walk-in cooler room. Observed roof leaking and causing mold in the side bar area near the west entrance.	30 days
426		X		Observed items that are not used for food prep or kitchen processes stored in the kitchen.	1 week
309		X		Observed no exhaust fan in woman's restroom.	30 days
399		X		Observed an absorbant material used as a wall cover beside the toilet in the woman's restroom.	2 weeks
346		X		Observed no handsoap at bar's handsink.	2 days
297		X		Observed beer cooler's in bar to have water in the bottom and in need of cleaning.	1 week
136	X			Observed employee food not clearly separated in kitchen refrigeration.	4 days
119		X		Observed food establishment's kitchen being used as a personal kitchen. Kitchen can only be used to prepare food for the establishment,	Today

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name HUGH E BIR CAFÉ INC	Telephone Number Est 502-296-4590 Own 502-296-4590	Date of Inspection 07/05/2022	ID#
Address 324 E MARKET ST, NEW ALBANY IN 47150			
Owner HUGH BIR CAFÉ INC	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 08/08/2022	Released 07/05/2022
Owner's Address 324 E MARKET ST NEW ALBANY, IN 47150-		Menu Type 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
Person in Charge HUGH E. BIR			
Responsible Person's Email			
Certified Food Handler N/A			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected

Summary of Violations C 4 NC 11 R 0

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>	
cc:	cc:	cc: